



Mini Cube 100 watt

Wall Charger

QUICK GUIDE

Mini Cube 100

Wall Charger
with Power Delivery architecture.

Intelligent power distribution.
Up to 100W across 2 devices,
AVS adaptive and **GaN** efficiency.



Premium cable
USB-C to USB-C
included

1,5m
LENGTH

PD
PPS
AVS

USB-C 1
100W max
OUTPUT

USB-C 2
20W max
OUTPUT

100
WATT

Compatible devices



Laptop

Single-port charging only



Tablet



Smartphone



TWS

Technology Guide

Charging standards overview

PD

POWER
DELIVERY

Universal fast charging
standard via USB-C.
Delivers higher power
safely and efficiently
across compatible
devices.

PPS

PROGRAMMABLE
POWER SUPPLY

Advanced voltage
regulation protocol.
Optimizes power
output dynamically for
stable and efficient
charging.

AVS

ADJUSTABLE
VOLTAGE SUPPLY

Adaptive voltage
management
technology.
Ensures precise power
regulation for stable
and efficient charging.

Intelligent Power Distribution

Two-Ports Charging

65W



USB-C1

20W



USB-C2

Integrated Protection System



Overvoltage
protection



Overheating
protection



Short-circuit
protection

POWER WHAT MATTERS

Mini Cube 100 watt

Wall Charger

Specifications:

Input: 100-240 V AC 50/60 Hz 1,5 A Max

USB-C 1 Output: 5,0 V DC 3,0 A / 9,0 V DC 3,0 A / 12,0 V DC 3,0 A /
15,0 V DC 3,0 A / 20,0 V DC 5,0 A (PD 100,0 W)

USB-C 2 Output: 5,0 V DC 3,0 A / 9,0 V DC 2,22 A (PD 20,0 W)

USB-C 1 + USB-C 2: 65,0 W + 20,0 W

Total Output: 100,0 W

AVS: 9,0-15,0 V DC 3,0 A / 15,0-20,0 V DC 5,0 A

5,0 A Cable:

Connector 1/2: USB-C 2.0

Cable length: 150 cm / 5 ft

uniquo-tech.com

SBS spa

Via Circonvallazione s/n
28010 Miasino (No) Italy



**GALLIUM NITRIDE
TECHNOLOGY**

High-efficiency
semiconductor material.
Allows compact design
with improved power
performance.



REV1_05_26

Follow us on:

customercare@uniquo-tech.com